

Tornado
KT20 ma
KT20c ma

2" point source self-powered compact speaker



array **K**

The KT20ma (and the KT20Cma for ceiling mount) is a pioneering active micro loudspeaker designed for point source applications and high quality distributed systems. Truly groundbreaking, the KT20ma can deliver an incredible maximum peak of 107dB from its integrated amplifier and all from a unit that fits in the palm of your hand. The elegant but rugged enclosure is built to aircraft specifications from a single piece of aluminum and measures a mere 6.4cm (dia) x 9.3cm (deep). The KT20ma has flexible and easy-to-configure mounting options.

With its ability to effortlessly reproduce both speech and music, it makes an excellent choice for fixed applications such as theatre, museum displays, restaurants, portable systems for corporate AV presentations, department stores, and in hidden locations such as chancel steps in houses of worship; the applications are endless.

The KT20ma has a proprietary 2" high efficiency drive unit with a neodymium magnet structure and a suspension engineered for maximum linear excursion and minimum residual transducer interference. This cone transducer delivers an impressive maximum peak SPL of 107dB, and has a wide operating frequency range from 150 Hz to 18 kHz with very low distortion.

KT20ma has a 4-pin Phoenix connector that supplies the power and balanced audio input, making set up or fixed installation a breeze.

All the components are designed in-house at our Florence based R&D department. They are custom manufactured to our exacting standards and quality control.





Applications:

Background music systems in restaurants and clubs

High-quality distributed systems for paging and music

Exhibit audio for museum displays

Space-sensitive fill for theatres

Features:

Unique performance-to-size ratio

Single 2" long excursion full range driver

Wide-range frequency response

High speech intelligibility and high dynamic range for music applications


Integrated Speakon connector for mobile or installed application (option)

Full Aluminum ultra strong frame

Available in Black or Aluminum


Integrated connection points for accessories

Only 350g of weight





www.k-array.com



HP Sound Equipment s.r.l.

Viale Roma 7/i - 50037
San Piero a Sieve (FI), Italy
tel. +39 055 8487222
fax. +39 055 8487238
e-mail: info@k-array.com